

배제사유	
1	동물실험 또는 전임상시험 연구
2	원저가 아닌 연구(종설, letter, comment 등),
3	동료심사된 학술지에 게재되지 않은 연구 및 회색문헌(초록만 발표된 연구, 학위논문, 연구 보고서 등)
4	한국어나 영어로 출판되지 않은 문헌
5	골관절염 환자를 대상으로 하지 않은 연구
6	체외충격파치료를 다루지 않은 연구
7	사전에 설정한 적절한 연구결과를 하나 이상 포함하지 않은 연구
8	적절한 비교자가 설정되지 않은 연구

연번	서지정보	배제사유
1	Zdravkovic A, Mickel M, Crevenna R. Successful application of focused extracorporeal shockwave therapy for plantar fasciitis in patients suffering from metastatic breast cancer. <i>Supportive Care in Cancer</i> . 2021;29(8):4187–90.	2
2	Whittaker JL, Truong LK, Dhiman K, Beck C. Osteoarthritis year in review 2020: rehabilitation and outcomes. <i>Osteoarthritis and Cartilage</i> . 2021;29(2):190–207.	2
3	Wang YC, Shih CL. Reply to the Letter to the Editor Regarding "Efficacy and Safety of Extracorporeal Shockwave Therapy for Treatment of Knee Osteoarthritis: A Systematic Review and Meta-analysis". <i>Pain Med</i> . 2021;22(1):218.	2
4	Wang Q, Wang Y, Yang C, Wang J, Zhang L, Zhao MH. POS-124 Trends in urolithiasis in China: a study based on a national database of hospitalized patients from 2013 to 2018. <i>Kidney International Reports</i> . 2021;6 (4 Supplement):S50.	3
5	Steere HK, DeLuca S, Borg-Stein J, Malanga GA, Tenforde AS. A Narrative Review Evaluating Extracorporeal Shockwave Therapy as a Potential Regenerative Treatment for Musculoskeletal Conditions in Military Personnel. <i>Mil Med</i> . 2021;186(7–8):682–706.	2
6	Shen PC, Chou SH, Lu CC, Huang HT, Chien SH, Huang PJ, et al. Shockwave Treatment Enhanced Extracellular Matrix Production in Articular Chondrocytes Through Activation of the ROS/MAPK/Nrf2 Signaling Pathway. <i>Cartilage</i> . 2021;19476035211012465.	1
7	Shen L, Luo X, Wang T. A commentary on "Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials" [Int. J. Surg. 82 (2020) 64–75]. <i>Int J Surg</i> . 2021;89:105933.	2
8	Ryan D, O'Sullivan C. Outcome measures used in intervention studies for the rehabilitation of mid-portion achilles tendinopathy; a scoping review. <i>Translational Sports Medicine</i> . 2021;4(2):250–67.	2
9	Reier S, Turyanskaya A, Heimel P, Frischauft N, Meusburger D, Heuser T, et al. Cross-modality imaging of bisphosphonate-treated murine jawbones. <i>Analyst</i> . 2021;146(14):4683–99.	1
10	Norvall A, Spriet M, Espinosa P, Arino-Estrada G, Murphy BG, Katzman SA, et al. Chondrosesamoidean ligament enthesopathy: Prevalence and findings in a population of lame horses imaged with positron emission tomography. <i>Equine Vet J Suppl</i> . 2021;53(3):451–9.	1
11	Nct. Use of Inhaler Aromatherapy During SWL. https://clinicaltrials.gov/show/NCT04848350 . 2021.	3
12	Nct. The Effect of ESWT in Carpal Tunnel Syndrome. https://clinicaltrials.gov/show/NCT04896398 . 2021.	3
13	Nct. Shock Wave Versus Iontophoresis in Treatment of Subjects With Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT04731350 . 2021.	3
14	Moretti L, Vitale E, Bettinsoli M, Bizzoca D, Delmedico M, Papalia R, et al. The psychological and clinical impact of the COVID-19 pandemic on orthopaedic patients: An Italian gender-specific analysis. <i>Orthopedic Reviews</i> . 2021;13 (1) (no pagination)(9005).	6

15	Liu X, Abudukeyimu A. A commentary on "Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials" (Int J Surg 2020; 82:64–75). Int J Surg. 2021;90:105968.	2
16	Huang D, Song J. A commentary on "Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials" [Int. J. Surg. 82 (2020) 64–75]. Int J Surg. 2021;89:105932.	2
17	Hu H, Lei C. Letter to the Editor Regarding "Efficacy and Safety of Extracorporeal Shockwave Therapy for Treatment of Knee Osteoarthritis: A Systematic Review and Meta-analysis". Pain Med. 2021;22(1):216–7.	2
18	Holvoet W, van Soest K, Havenith T, Lorusso R, van Mook W, Delnoij T. Bail-out extracorporeal membrane oxygenation for hydroxychloroquine intoxication: a warning for COVID-19 health-care givers. Acta Cardiol. 2021;76(2):200–3.	8
19	Hauser J, Wieber J, Catala-Lehnen P. The use of extracorporeal shock wave therapy for the treatment of bone marrow oedema – a systematic review and meta-analysis. J. 2021;16(1):369.	2
20	DiDomenico AE, Fowler AW, Horne CR, Bizikova P, Schnabel LV, Stowe DM. Pathology in practice. Journal of the American Veterinary Medical Association. 2021;258(9):961–4.	1
21	Cheng JH, Yen KT, Chou WY, Jhan SW, Hsu SL, Ko JY, et al. Autologous Adipose-Derived Mesenchymal Stem Cells Combined with Shockwave Therapy Synergistically Ameliorates the Osteoarthritic Pathological Factors in Knee Joint. Pharmaceuticals (Basel). 2021;14(4):01.	1
22	Chavda A, Pender A, Cresswell M. Imaging-Guided Palliative Procedures: Tendon and Bursa Injection. Medical Radiology. 2021:59–70.	3
23	Akintayo RO, Akpabio A, Kalla A, Dey D, Migowa A, Olaosebikan H, et al. COVID-19 and the practice of rheumatology in Africa: Big changes to services from the shockwave of a pandemic. Annals of the Rheumatic Diseases. 2021;80(6):E100.	2
24	김병준, 이상현, 김현태, 박혜진, 박선영, 허인, et al. 경혈경락이론에 근거한 체외충격파 치료가 무릎 관절염에 미치는 영향: 체계적 문헌 고찰. 한방재활의학과학회지. 2021;31(2):41–8.	2
25	Erratum regarding missing Declaration of Competing Interest statements in previously published articles (World Journal of Acupuncture – Moxibustion (2020) 30(3) (217–222), (S1003525720300490), (10.1016/j.wjam.2020.05.011)). World journal of acupuncture – moxibustion. 2021.	2
26	Zhong Z, Liu B, Liu G, Chen J, Li Y, Chen J, et al. Response to Letter Regarding "A Randomized Controlled Trial on the Effects of Low-Dose Extracorporeal Shockwave Therapy in Patients With Knee Osteoarthritis". Arch Phys Med Rehabil. 2020;101(7):1266.	2
27	Zheng S, Wang Y. Commentary on "The efficacy and safety of extracorporeal shockwave therapy in knee osteoarthritis: A systematic review and meta-analysis" (Int J Surg. 2020 Jan 21; 75: 24–34). Int J Surg. 2020;76:27.	2
28	Yin L, Yu B. Invited commentary on- "The efficacy and safety of extracorporeal shockwave therapy in knee osteoarthritis: A systematic review and meta-analysis" (2020 Jan 21; 75:24–34). Int J Surg. 2020;77:14.	2
29	Yi S, Jiang H, Zhou J, Li Q, Wang M, Peng Q. Retrospective Study of Rehabilitation Exercise Combined with Extracorporeal Shock Wave Therapy for Knee Osteoarthritis. Med Sci Monit. 2020;26:e927722.	6
30	Xie X, Zhu J, Zhang H. Effects of extracorporeal shock wave therapy in patients with knee osteoarthritis: A cohort study protocol. Medicine (Baltimore). 2020;99(35):e21749.	2
31	Wang YC, Huang HT, Huang PJ, Liu ZM, Shih CL. Efficacy and Safety of Extracorporeal Shockwave Therapy for Treatment of Knee Osteoarthritis: A Systematic Review and Meta-analysis. Pain Med. 2020;21(4):822–35.	2
32	Urits I, Smoots D, Franscioni H, Patel A, Fackler N, Wiley S, et al. Injection Techniques for Common Chronic Pain Conditions of the Foot: A Comprehensive Review. Pain and Therapy. 2020;9(1):145–60.	2
33	Tanigor G, Hepguler S. Extracorporeal Shockwave Therapy and Knee Osteoarthritis: Defining a Placebo Group. Arch Phys Med Rehabil. 2020;101(7):1265.	2

34	Tang SCW. Editorial: Diabetic kidney disease: An update in recent clinical and basic research. <i>Nephrology Dialysis Transplantation</i> . 2020;35(5):725–8.	2
35	Tai TW, Hsieh CK, Chang J, Liu ZW. Extracorporeal shockwave therapy to treat osteoarthritis of knees: A meta-analysis. <i>Osteoporosis International</i> . 2020;31 (SUPPL 1):S418.	3
36	Sulyma V, Travinskyi A, Krasnovskiy V, Filiak Y. Management of avascular necrosis of the femoral head—an overview. <i>Series on Biomechanics</i> . 2020;34(3):13–27.	2
37	Stoel B. Use of artificial intelligence in imaging in rheumatology – current status and future perspectives. <i>RMD Open</i> . 2020;6(1):01.	2
38	Shah SGS, Shah SFH, Farrow A. Invited commentary on "Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials". <i>Int J Surg</i> . 2020;84:136–7.	2
39	Pactr. Shock Wave Therapy versus High Power Laser Therapy in Knee Osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=PACTR202007638955907 . 2020.	3
40	Nuhmani S. Injection therapies for patellar tendinopathy. <i>Physician and Sportsmedicine</i> . 2020;48(2):125–30.	2
41	Nct. Efficacy of Sodium Thiosulfate in Shoulder Pain in Calcific Tendinitis of the Rotator Cuff. https://clinicaltrials.gov/show/NCT04251832 . 2020.	3
42	Nct. r-ESWT in Moderate Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT04243135 . 2020.	3
43	Minetto MA, Giannini A, McConnell R, Busso C, Torre G, Massazza G. Common musculoskeletal disorders in the elderly: The star triad. <i>Journal of Clinical Medicine</i> . 2020;9 (4) (no pagination)(1216).	2
44	Matthews MJ, Stretanski MF. Ultrasound Therapy. StatPearls Publishing. 2020;01:01.	2
45	Marques-Smith P, Kallerud AS, Johansen GM, Boysen P, Jacobsen AM, Reitan KM, et al. Is clinical effect of autologous conditioned serum in spontaneously occurring equine articular lameness related to ACS cytokine profile? <i>BMC Veterinary Research</i> . 2020;16 (1) (no pagination)(181).	1
46	MacKay AV, McOnie RC, Riddell LP, Robinson KA. Characterization of the use of shock wave therapy among equine veterinarians. <i>Canadian Veterinary Journal</i> . 2020;61(9):990–3.	5
47	Ma H, Zhang W, Shi J, Zhou D, Wang J. The efficacy and safety of extracorporeal shockwave therapy in knee osteoarthritis: A systematic review and meta-analysis. <i>Int J Surg</i> . 2020;75:24–34.	2
48	Liu C, Miao F. An invited commentary on the article: "The efficacy and safety of extracorporeal shockwave therapy in knee osteoarthritis: A systematic review and meta-analysis". <i>Int J Surg</i> . 2020;76:130–1.	2
49	Li W, Chen X, Tang C, Wen C, Wu X. Effect of extracorporeal shock wave treatment combined with rehabilitation therapy on early and middle stage knee osteoarthritis. <i>International Journal of Clinical and Experimental Medicine</i> . 2020;13(10):8086–94.	8
50	Li S, Zhang K, Sun X. Letter to the Editor regarding "Extracorporeal shockwave therapy for the treatment of knee osteoarthritis: a meta-analysis". <i>Int Orthop</i> . 2020;44(5):1017.	2
51	Lau JYW. Editor's perspectives – March 2020. <i>Int J Surg</i> . 2020;75:180–1.	2
52	Lau JYW. Editor's perspective: October 2020. <i>Int J Surg</i> . 2020;82:260–1.	2
53	Iyer SJ, Goldfarb DS. Effects of ambient temperature and humidity on kidney stone admissions in Brazil. <i>Jornal Brasileiro de Nefrologia</i> . 2020;42(2):133–5.	2
54	Huangfu Z, Wei D, Ao Y. Systematic evaluation and meta-analysis of extracorporeal shock wave therapy in the treatment of knee osteoarthritis. [Chinese]. <i>Chinese Journal of Tissue Engineering Research</i> . 2020;24(27):4414–20.	4
55	Huang DC, Wang ZK, Cao XW. Comparison of the short-term efficacy of extracorporeal shock wave therapy for middle-aged and elderly knee osteoarthritis: A meta-analysis. [Chinese]. <i>Chinese Journal of Tissue Engineering Research</i> . 2020;25(9):1471–6.	4
56	Hsu CC, Cheng JH, Wang CJ, Ko JY, Hsu SL, Hsu TC. Shockwave Therapy Combined with Autologous Adipose-Derived Mesenchymal Stem Cells Is Better than with Human Umbilical Cord Wharton's Jelly-Derived Mesenchymal Stem Cells on Knee Osteoarthritis. <i>Int</i> . 2020;21(4):12.	1

57	Hsieh CK, Chang CJ, Liu ZW, Tai TW. Extracorporeal shockwave therapy for the treatment of knee osteoarthritis: a meta-analysis. <i>Int Orthop.</i> 2020;44(5):877–84.	2
58	Hamasaki T, Laprise S, Harris PG, Bureau NJ, Gaudreault N, Ziegler D, et al. Efficacy of Nonsurgical Interventions for Trapeziometacarpal (Thumb Base) Osteoarthritis: A Systematic Review. <i>Arthritis Care and Research.</i> 2020;72(12):1719–35.	2
59	Ferrara PE, Codazza S, Maccauro G, Zirio G, Ferriero G, Ronconi G. Physical therapies for the conservative treatment of the trigger finger: A narrative review. <i>Orthopedic Reviews.</i> 2020;12(1S):90–4.	2
60	Didona D, Juratli HA, Scarsella L, Eming R, Hertl M. The polymorphous spectrum of dermatomyositis: classic features, newly described skin lesions, and rare variants. <i>European Journal of Dermatology.</i> 2020;30(3):229–42.	2
61	Coleman G, Dobson F, Hinman RS, Bennell K, White DK. Measures of Physical Performance. <i>Arthritis Care and Research.</i> 2020;72(S10):452–85.	3
62	ChiCtr. Outcome of knee osteoarthritis treated by extracorporeal shock wave therapy: a randomized controlled trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR2000031920 . 2020.	3
63	Chen L, Ye L, Liu H, Yang P, Yang B, Seixas A. Extracorporeal Shock Wave Therapy for the Treatment of Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Biomed Res Int.</i> 2020;2020 (no pagination)(1907821).	2
64	Chang CN, Ko NY, Hu YN, Hu GC. Extracorporeal shock wave therapy in the treatment of knee osteoarthritis: A review of mechanism of action and clinical efficacy. <i>International Journal of Gerontology.</i> 2020;14(3):154–8.	2
65	Catarino J, Carvalho P, Santos S, Martins A, Requicha J. Treatment of canine osteoarthritis with allogeneic platelet-rich plasma: review of five cases. <i>Open vet.</i> 2020;10(2):226–31.	1
66	Bruno F, Palumbo P, Arrigoni F, Mariani S, Aringhieri G, Carotti M, et al. Advanced diagnostic imaging and intervention in tendon diseases. <i>Acta Biomedica.</i> 2020;91(8-S):98–106.	2
67	Benjamin D, Odof S, Abbes B, Nolot JB, Erre D, Fourchet F, et al. Shock response spectrum analysis in running performance. <i>Computer Methods in Biomechanics and Biomedical Engineering.</i> 2020;23 (SUPPL 1):S28–S30.	3
68	Belmir H, Azghari A, Sedki N. Pseudoaneurysm of external iliac artery after extracorporeal shock wave lithotripsy revealing Behcet disease. <i>Journal of Vascular Surgery Cases and Innovative Techniques.</i> 2020;6(3):473–7.	8
69	Bechay J, Lawrence C, Namdari S. Calcific tendinopathy of the rotator cuff: a review of operative versus nonoperative management. <i>Physician and Sportsmedicine.</i> 2020;48(3):241–6.	2
70	Bao B, Zhu H. Placebo treatment with minimal adverse effects and low cost is ideal for management of osteoarthritis: A commentary on "The efficacy and safety of extracorporeal shockwave therapy in knee osteoarthritis: A systematic review and meta-analysis". <i>Int J Surg.</i> 2020;76:3.	2
71	Baltzer WI. Rehabilitation of companion animals following orthopaedic surgery. <i>N Z Vet J.</i> 2020;68(3):157–67.	2
72	Avendano-Coy J, Comino-Suarez N, Grande-Munoz J, Avendano-Lopez C, Gomez-Soriano J. Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials. <i>Int J Surg.</i> 2020;82:64–75.	2
73	Armagan Alpturker K, Cerrahoglu ABL, Orguc IS. Evaluation Effects of Laser Therapy and Extracorporeal Shock Wave Therapy with Clinical Parameters and Magnetic Resonance Imaging for Treatment of Plantar Fasciitis in Patients with Spondyloarthritis: A Randomized Controlled Trial. <i>International Journal of Rheumatology.</i> 2020;2020 (no pagination)(4386361).	5
74	An S, Li J, Xie W, Yin N, Li Y, Hu Y. Extracorporeal shockwave treatment in knee osteoarthritis: therapeutic effects and possible mechanism. <i>Biosci Rep.</i> 2020;40(11):27.	2
75	Albano AW, Nelson V. Approaching Foot and Ankle Injuries in the Ambulatory Setting. Primary Care – Clinics in Office Practice. 2020;47(1):133–45.	2

76	Al-Abbad H, Allen S, Morris S, Reznik J, Biros E, Paulik B, et al. The effects of shockwave therapy on musculoskeletal conditions based on changes in imaging: A systematic review and meta-analysis with meta-regression. <i>BMC Musculoskelet Disord.</i> 2020;21 (1) (no pagination)(275).	2
77	Yocom AF, Bass LD. Review of the application and efficacy of extracorporeal shockwave therapy in equine tendon and ligament injuries. <i>Equine Veterinary Education.</i> 2019;31(5):271–7.	2
78	Xu Y, Wu K, Liu Y, Geng H, Zhang H, Liu S, et al. The effect of extracorporeal shock wave therapy on the treatment of moderate to severe knee osteoarthritis and cartilage lesion. <i>Medicine (Baltimore).</i> 2019;98(20):e15523.	8
79	Vetrano M, Ranieri D, Nanni M, Pavan A, Malisan F, Vulpiani MC, et al. Hyaluronic Acid (HA), Platelet-Rich Plasm and Extracorporeal Shock Wave Therapy (ESWT) promote human chondrocyte regeneration in vitro and ESWT-mediated increase of CD44 expression enhances their susceptibility to HA treatment. <i>PLoS ONE.</i> 2019;14(6):e0218740.	1
80	Uruts I, Jones M, Patel R, Adamian L, Seifert D, Thompson W, et al. Minimally Invasive Interventional Management of Osteoarthritic Chronic Knee Pain. <i>Journal of Knee Surgery.</i> 2019;32(1):72–9.	2
81	Uruts I, Gress K, Charipova K, Orhurhu V, Kaye AD, Viswanath O. Recent Advances in the Understanding and Management of Carpal Tunnel Syndrome: a Comprehensive Review. <i>Current Pain and Headache Reports.</i> 2019;23 (10) (no pagination)(70).	2
82	Torres JW, Zipp C. An osteopathic approach to greater trochanteric pain syndrome. <i>Osteopathic Family Physician.</i> 2019;11(3):18–21.	2
83	Tang HY, Zhao Y, Li YZ, Wang TS. Effectiveness of extracorporeal shock wave monotherapy for avascular necrosis of femoral head: A systematic review protocol of randomized controlled trial. <i>Medicine (Baltimore).</i> 2019;98(14):e15119.	2
84	Su W, Lin Y, Wang G, Geng Z, Wang Z, Hou D, et al. Prospective clinical study on extracorporeal shock wave therapy combined with platelet-rich plasma injection for knee osteoarthritis. [Chinese]. <i>Zhongguo xi fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese journal of reparative and reconstructive surgery.</i> 2019;33(12):1527–31.	4
85	Stern N, Bjazevic J, Nott L, Razvi H. Are there clinical and metabolic characteristics that correlate with the formation of calcium oxalate monohydrate or dihydrate stones? <i>Journal of Endourology.</i> 2019;33 (Supplement 1):A59.	3
86	Stephens G, O'Neill S, French HP, Fearon A, Grimaldi A, O'Connor L, et al. A survey of physiotherapy practice (2018) in the United Kingdom for patients with greater trochanteric pain syndrome. <i>Musculoskeletal Science and Practice.</i> 2019;40:10–20.	5
87	Sansone V, Maiorano E, Pascale V, Romeo P. Bone marrow lesions of the knee: longitudinal correlation between lesion size changes and pain before and after conservative treatment by extracorporeal shockwave therapy. <i>Eur J Phys Rehabil Med.</i> 2019;55(2):225–30.	8
88	Pavlov-Doljanovic S, Vujsinovic Stupar N, Zeljkovic S, Milenkovic R, Perovic M, Ostojic P. Treatment of dystrophic calcifications in patient with unusual combination of limited systemic sclerosis and psoriatic arthritis with extracorporeal shockwave lithotripsy followed by intralesion injections of sodium thiosulphate: A case report. <i>Osteoporosis International.</i> 2019;30 (SUPPL 2):S305.	3
89	Pactr. Shock wave therapy versus intra-articular platelet in knee osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=PACTR202002823070938 . 2019.	3
90	Nct. Laser + Cryo-thermal Therapy Following Total Knee Replacement Surgery. https://clinicaltrials.gov/show/NCT04183673 . 2019.	3
91	Nct. Efficiency of Shock-wave Therapy in Symptomatic Hip Osteoarthritis. https://clinicaltrials.gov/show/NCT04206722 . 2019.	3
92	Nct. Radial Versus Focused Extracorporeal Shock Wave in the Treatment of Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT03921749 . 2019.	3
93	Nct. Effect of Extracorporeal Shock Wave in the Treatment of Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT03962270 . 2019.	3
94	Mitoiu I, Clantau D, Nartea R, Gheorghievici L, Nica A. Study regarding pain assessment and management after rotator cuff injuries combining osteoarthritis of the shoulder. <i>Osteoporosis International.</i> 2019;30 (SUPPL 2):S657.	3

95	Liu Z, Song J, Zhang Q. Extracorporeal shock wave therapy versus intra-articular injection of sodium hyaluronate for knee osteoarthritis. [Chinese]. Chinese Journal of Tissue Engineering Research. 2019;23(15):2297–302.	4
96	Liu SC, Qiao XF, Tang QX, Li XG, Yang JH, Wang TQ, et al. Therapeutic efficacy of extracorporeal shock wave combined with hyaluronic acid on knee osteoarthritis. Medicine (Baltimore). 2019;98(8):e14589.	7
97	Lin TF, Lin WR, Chen M, Chang HK, Lin WC, Tsai WK, et al. The effect of treatment timing and urinary drainage on the outcome of urinary tuberculosis. Urological Science. 2019;30(2):79–83.	5
98	Liao CD, Tsauo JY, Liou TH, Chen HC, Huang SW. Clinical efficacy of extracorporeal shockwave therapy for knee osteoarthritis: a systematic review and meta-regression of randomized controlled trials. Clin Rehabil. 2019;33(9):1419–30.	2
99	Li T, Ma J, Zhao T, Gao F, Sun W. Application and efficacy of extracorporeal shockwave treatment for knee osteoarthritis: A systematic review and meta-analysis. Experimental Ther. 2019;18(4):2843–50.	2
100	Li L, Wang Y, Zhu Z, Zhou J, Li S, Qin J. Conservative tibiotalocalcaneal fusion for partial talar avascular necrosis in conjunction with ankle and subtalar joint osteoarthritis in Kashin–Beck disease: A case report. Medicine (United States). 2019;98 (29) (no pagination)(e16367).	8
101	Kluger N. Cutaneous vasculitis preceding the onset of anti-GBM disease (Goodpasture syndrome). Presse Medicale. 2019;Part 1. 48(1):79–80.	2
102	Kim YH, Bang JI, Son HJ, Kim Y, Kim JH, Bae H, et al. Protective effects of extracorporeal shockwave on rat chondrocytes and temporomandibular joint osteoarthritis: preclinical evaluation with in vivo ^{99m} Tc-HDP SPECT and ex vivo micro-CT. Osteoarthritis Cartilage. 2019;27(11):1692–701.	1
103	Kim YH, Bang JI, Son HJ, Kim J, Yoon HJ, Kim BS. Therapeutic effect of extracorporeal shockwave on rat chondrocytes and temporomandibular joint osteoarthritis: Correlation with in vivo ^{99m} Tc-HDP SPECT. Journal of Nuclear Medicine Conference. 2019;60(Supplement 1).	1
104	Isrctn. Electrical Stimulation treating knee osteoarthritis for pain, function and strength. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ISRCTN12112819 . 2019.	3
105	Irct20191021045171N. Extra corporeal shock wave therapy for chronic Low back pain. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT20191021045171N1 . 2019.	3
106	Irct20120729010439N. Shock wave and osteoarthritis of the knee. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT20120729010439N3 . 2019.	3
107	Harding D, Badrulhisham F, Luke E, Devanesan A, Manson J, Shah S. ECMO bridging for a patient with haemophagocytic lymphohistiocytosis secondary to adult-onset still's disease. Perfusion (Germany). 2019;34 (1 Supplement):184.	3
108	Gutteck N, Schilde S, Delank KS. Pain on the Plantar Surface of the Foot. Dtsch. 2019;116(6):83–8.	2
109	Gerbrands T. Shock attenuation during gait is altered in patients with knee osteoarthritis. Gait and Posture. 2019;73 (Supplement 1):537–8.	3
110	Ferreira RM, Torres RT, Duarte JA, Goncalves RS. Non-Pharmacological and Non-Surgical Interventions for Knee Osteoarthritis: A Systematic Review and Meta-Analysis. Acta Reumatol. 2019;44(3):173–217.	2
111	Duymaz T, Sindel D. Comparison of Radial Extracorporeal Shock Wave Therapy and Traditional Physiotherapy in Rotator Cuff Calcific Tendinitis Treatment. Arch. 2019;34(3):281–7.	5
112	Collins NJ, Hart HF, Mills KAG. Osteoarthritis year in review 2018: rehabilitation and outcomes. Osteoarthritis and Cartilage. 2019;27(3):378–91.	2
113	Chou WY, Cheng JH, Wang CJ, Hsu SL, Chen JH, Huang CY. Shockwave Targeting on Subchondral Bone Is More Suitable than Articular Cartilage for Knee Osteoarthritis. Int J Med Sci. 2019;16(1):156–66.	1
114	ChiCtr. A randomized controlled study for extracorporeal shock wave combined with peri-hip muscle training in the treatment of patellar tendinosis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR1900022882 . 2019.	3

115	ChiCtr. Extracorporeal shock wave combined with ozone injection in the treatment of knee osteoarthritis: a randomized controlled trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR1900021389 . 2019.	3
116	Cheng XF, Wang YY, Jiang JS, Peng DD, Zhuang JG, Wen JM. Treatment of knee osteoarthritis with six-step manipulation combined with extracorporeal shock wave. [Chinese]. <i>Zhongguo gu shang = China journal of orthopaedics and traumatology</i> . 2019;32(9):842–5.	4
117	Cheng JH, Wang CJ, Chou WY, Hsu SL, Chen JH, Hsu TC. Comparison efficacy of ESWT and Wharton's jelly mesenchymal stem cell in early osteoarthritis of rat knee. <i>Am J Transl Res</i> . 2019;11(2):586–98.	1
118	Ayala-Cuellar AP, Kang JH, Jeung EB, Choi KC. Roles of mesenchymal stem cells in tissue regeneration and immunomodulation. <i>Biomolecules and Therapeutics</i> . 2019;27(1):25–33.	2
119	황상원, 임상희, 신지철, 박진영. 고관절염과 근 긴장을 동반한 강직성 척추염의 빠른 기능 회복. <i>Clinical Pain</i> . 2019;18(2):121–5.	8
120	Comparison of radial extracorporeal shock wave therapy and traditional physiotherapy in rotator cuff calcific tendinitis treatment. <i>Arch</i> . 2019;34(3):281–7.	5
121	Yu X, Zhang D, Chen X, Yang J, Shi L, Pang Q. Effectiveness of various hip preservation treatments for non-traumatic osteonecrosis of the femoral head: A network meta-analysis of randomized controlled trials. <i>J Orthop Sci</i> . 2018;23(2):356–64.	2
122	Tomska N, Turon-Skrzypinska A, Szylinska A, Ryl A, Lubinska-Gruszka A, Mosiejczuk H, et al. Deep Electromagnetic Stimulation and Radial Shock Wave Therapy in Back Pain. <i>Ortop</i> . 2018;20(3):189–95.	7
123	Thomas V, Revitt O, Ward S, Bourne C, Zatloukal J, Singh SJ. To explore the prevalence and impact of hip and/or knee in patients presenting for pulmonary rehabilitation. <i>Thorax</i> . 2018;73 (Supplement 4):A155.	3
124	Speers CJB, Bhogal GS, Collins R. Lateral elbow tendinosis: A review of diagnosis and management in general practice. <i>British Journal of General Practice</i> . 2018;68(676):548–9.	2
125	Shearer TS. Euthanasia diversion by use of extracorporeal shockwave therapy to improve mobility and decrease pain in a Treeing Walker hunting dog. <i>Acta Veterinaria Scandinavica Conference: 10th International Association of Veterinary Rehabilitation and Physical Therapy, IAVRPT</i> . 2018;61(Supplement 1).	1
126	Santilli V, Alviti F, Paoloni M, Mangone M, Bernetti A. Comment on "Effect of Extracorporeal Shockwave Therapy Versus Intra-articular Injections of Hyaluronic Acid for the Treatment of Knee Osteoarthritis". <i>Ann</i> . 2018;42(2):372–3.	2
127	Safarpour Y, Jabbari B. Botulinum toxin treatment of pain syndromes –an evidence based review. <i>Toxicon</i> . 2018;147:120–8.	2
128	Pierce TP, Issa K, Kurowicki J, Festa A, McInerney VK, Scillia AJ. Abductor tendon tears of the hip. <i>JBJS Reviews</i> . 2018;6 (3) (no pagination)(e6).	2
129	Pereira H, Sousa DA, Cunha A, Andrade R, Espregueira-Mendes J, Oliveira JM, et al. Hyaluronic acid. <i>Advances in Experimental Medicine and Biology</i> . 2018;1059:137–53.	3
130	Pactr. Different Dose-Related Effects of Radial Extracorporeal Shock Wave on knee Osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=PACTR201811706960533 . 2018.	3
131	Liu Y, Zhang T, Feng Y. Radial Extracorporeal Shock Wave Therapy for Relief of Arthralgia in Rheumatoid Arthritis. <i>Pain pract</i> . 2018;18(3):380–7.	8
132	Li W, Pan Y, Yang Q, Guo ZG, Yue Q, Meng QG. Extracorporeal shockwave therapy for the treatment of knee osteoarthritis: A retrospective study. <i>Medicine (Baltimore)</i> . 2018;97(27):e11418.	8
133	Lee JK, Lee BY, Shin WY, An MJ, Jung KI, Yoon SR. In Reply: Comment on "Effect of Extracorporeal Shockwave Therapy Versus Intra-articular Injections of Hyaluronic Acid for the Treatment of Knee Osteoarthritis". <i>Ann</i> . 2018;42(2):374.	2
134	Lau JWY. Editor's Perspectives – April 2018. <i>Int J Surg</i> . 2018;52:347–8.	2
135	Kang S, Gao F, Han J, Mao T, Sun W, Wang B, et al. Extracorporeal shock wave treatment can normalize painful bone marrow edema in knee osteoarthritis. <i>Medicine (United States)</i> . 2018;97 (5) (no pagination)(e9796).	8

136	Janse Van Rensburg DC, Ker JA, Grant CC, Fletcher L. Exercise may decrease syncope secondary to postural change in females with rheumatoid arthritis: Pilot study. <i>Annals of the Rheumatic Diseases</i> . 2018;77 (Supplement 2):860–1.	3
137	Ioppolo F, Saracino F, Rizzo RS, Monacelli G, Lanni D, Di Sante L, et al. Comparison Between Extracorporeal Shock Wave Therapy and Intra-articular Hyaluronic Acid Injections in the Treatment of First Carpometacarpal Joint Osteoarthritis. <i>Ann. 2018</i> ;42(1):92–100.	5
138	Huang D, Liu YQ, Liang LS, Lin XW, Song T, Zhuang ZG, et al. The Diagnosis and Therapy of Degenerative Knee Joint Disease: Expert Consensus from the Chinese Pain Medicine Panel. <i>Pain Research and Management</i> . 2018;2018 (no pagination)(2010129).	2
139	Hamar A, Vegh E, Horvath A, Szanto S, Szucs G, Pusztai A, et al. Effects of anti-TNF therapy on vascular biomarker levels in rheumatoid arthritis. <i>Annals of the rheumatic diseases Conference: 38th european workshop for rheumatology research Switzerland</i> . 2018;77(Supplement 1):A37.	3
140	Garcia-Lopez JM. Neck, Back, and Pelvic Pain in Sport Horses. <i>Vet Clin North Am Equine Pract.</i> 2018;34(2):235–51.	2
141	Dhillon MS, Rana B, Panda I, Patel S, Kumar P. Management Options in Avascular Necrosis of Talus. <i>Indian j.</i> 2018;52(3):284–96.	2
142	Dalibon P. Rheumatological disorders of the foot. <i>Actualites Pharmaceutiques</i> . 2018;57(579):50–3.	2
143	Contino EK. Management and Rehabilitation of Joint Disease in Sport Horses. <i>Vet Clin North Am Equine Pract.</i> 2018;34(2):345–58.	2
144	Chang CF, Hsu SN, Chung CH, Ni YJ, Kao CC, Wu ST, et al. Renal outcomes after percutaneous nephrolithotomy, retrograde intrarenal surgery, and extracorporeal shock wave lithotripsy for kidney stones. <i>International Journal of Urology</i> . 2018;25 (Supplement 1):299.	3
145	Carella A, Leo S, Infante B, Hoznek A, Grandaliano G, Stallone G. Nephrolithiasis in the elderly. <i>Journal of Gerontology and Geriatrics</i> . 2018;2018(4):233–8.	2
146	Anonymous. National Kidney Foundation 2018 Spring Clinical Meeting Abstracts April 10–14, 2018. <i>American Journal of Kidney Diseases</i> . 2018;71(4):502–15.	3
147	Allen GM. The diagnosis and management of shoulder pain. <i>J Ultrasound</i> . 2018;18(74):234–9.	2
148	Zhang Q, Liu L, Sun W, Gao F, Cheng L, Li Z. Extracorporeal shockwave therapy in osteonecrosis of femoral head a systematic review of now available clinical evidences. <i>Medicine (United States)</i> . 2017;96 (4) (no pagination)(5897).	2
149	Yu L, Liu S, Zhao Z, Xia L, Zhang H, Lou J, et al. Extracorporeal Shock Wave Rebuilt Subchondral Bone in Vivo and Activated Wnt5a/Ca ²⁺ Signaling in Vitro. <i>Biomed Res Int</i> . 2017;2017 (no pagination)(1404650).	1
150	Yilmaz V, Karadas O, Dandinoglu T, Umay E, Cakci A, Tan AK. Efficacy of extracorporeal shockwave therapy and low-intensity pulsed ultrasound in a rat knee osteoarthritis model: A randomized controlled trial. <i>Eur</i> . 2017;4(2):104–8.	1
151	Wang CJ, Cheng JH, Su SH, Huang CY, Hsu SL. Next-generation sequencing identifies articular cartilage and subchondral bone miRNAs after ESWT on early osteoarthritis knee. <i>Osteoarthritis and Cartilage</i> . 2017;25 (Supplement 1):S321–S2.	1
152	Wang CJ, Cheng JH, Huang CY, Hsu SL, Lee FY, Yip HK. Medial tibial subchondral bone is the key target for extracorporeal shockwave therapy in early osteoarthritis of the knee. <i>Am J Transl Res</i> . 2017;9(4):1720–31.	8
153	Wang CJ, Cheng JH, Chou WY, Hsu SL, Chen JH, Huang CY. Changes of articular cartilage and subchondral bone after extracorporeal shockwave therapy in osteoarthritis of the knee. <i>Int J Med Sci</i> . 2017;14(3):213–23.	1
154	Wang C, Durney KM, Fomovsky M, Yu J, Hall JR, Ateshian GA, et al. Femtosecond laser irradiation as novel paradigm for treatment of early osteoarthritis. <i>Journal of Orthopaedic Research Conference</i> . 2017;35(Supplement 1).	3
155	Wahab KW, Sanya EO, Adebayo PB, Babalola MO, Ibraheem HG. Carpal tunnel syndrome and other entrapment neuropathies. <i>Oman Medical Journal</i> . 2017;32(6):449–54.	2
156	Thompson D, Malliaropoulos N, Padhiar N. Sesamoid osteonecrosis treated with radial extracorporeal shock wave therapy. <i>BMJ Case Rep</i> . 2017;2017 (no pagination)(bcr-2017-219191).	8

157	Tctr. Efficacy of Extracorporeal Shockwave Therapy (ESWT) on symptomatic knee osteoarthritis: a randomized double blinded (patient and assessor) controlled trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=CTR20170829001 . 2017.	3
158	Sheveleva N, Minbayeva L, Belyayeva Y. Dynamics of Knee Joint Space Asymmetry on X-Ray as a Marker of Knee Osteoarthritis Rehabilitation Efficacy. <i>Georgian Med.</i> 2017;26(4):16–20.	8
159	Sansone V, Romeo P, Lavanga V. Extracorporeal Shock Wave Therapy Is Effective in the Treatment of Bone Marrow Edema of the Medial Compartment of the Knee: A Comparative Study. <i>Med Princ Pract.</i> 2017;26(1):23–9.	5
160	Salohiddinov M, Ahmedov H. Investigation influence of mid-frequency shockwave therapy on the formation of angiogenic factors in experimental allergic arthritis. <i>Rheumatology (United Kingdom)</i> . 2017;56 (Supplement 2):ii162.	3
161	Notarnicola A, Iannone F, Maccagnano G, Lacarpia N, Bizzoca D, Moretti B. Chondrocytes treated with different shock wave devices. <i>Muscles Ligaments Tendons J.</i> 2017;7(1):152–6.	1
162	Ngai SPC, Spencer LM, Jones AYM, Alison JA, Vemulpad S. Acu-TENS reduces breathlessness during exercise in people with chronic obstructive pulmonary disease. <i>Evidence-based Complementary and Alternative Medicine</i> . 2017;2017 (no pagination)(3649257).	5
163	Ng JL, Kersh ME, Kilbreath S, Knothe Tate M. Establishing the basis for mechanobiology-based physical therapy protocols to potentiate cellular healing and tissue regeneration. <i>Frontiers in Physiology</i> . 2017;8 (JUN) (no pagination)(303).	2
164	Nct. The Efficacy of Radial Extracorporeal Shockwave Therapy on Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT03344770 . 2017.	3
165	Nct. Extracorporeal Shockwave Therapy for Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT03048773 . 2017.	3
166	Moser DK, Schoonover MJ, Sippel KM, Dieterly AM, Ritchey JW, Wall CR. Catastrophic complication following injection and extracorporeal shock wave therapy of a medial femoral condyle subchondral cystic lesion in a 14 year old Arabian mare. <i>Open vet.</i> 2017;7(2):111–6.	8
167	Mei CL, Ge JB, Zou HJ, Gao X. Chinese multidisciplinary expert consensus on the diagnosis and treatment of hyperuricemia and related diseases: Multidisciplinary expert task force on hyperuricemia and related diseases. <i>Chinese Medical Journal</i> . 2017;130(20):2473–90.	2
168	Janczewska K, Klimkiewicz R, Kubsik-Gidlewska A, Jankowska A, Klimkiewicz P, Woldanska-Okonska M. New physical methods in osteoarthritis treatment. [Polish]. <i>Wiadomosci lekarskie</i> (Warsaw, Poland : 1960). 2017;Part 2. 70(3):644–8.	2
169	Janczewska K, Klimkiewicz R, Kubsik-Gidlewska A, Jankowska A, Klimkiewicz P, Woldanska-Okonska M. [New physical methods in osteoarthritis treatment]. <i>Wiad Lek.</i> 2017;70(3 pt 2):644–8.	2
170	Irct201608044641N. Effectiveness of Extra corporal Shock Wave therapy in the treatment of Knee Arthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT201608044641N12 . 2017.	3
171	Hsu SL, Cheng JH, Wang CJ, Ko JY, Hsu CH. Extracorporeal Shockwave Therapy Enhances Expression of Pdia-3 Which Is a Key Factor of the 1alpha,25-Dihydroxyvitamin D 3 Rapid Membrane Signaling Pathway in Treatment of Early Osteoarthritis of the Knee. <i>Int J Med Sci.</i> 2017;14(12):1220–30.	1
172	Gunaydin OE, Bayrakci Tunay V. HPR effect of different physical therapy programs on pain, strength and functional situations on knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> . 2017;76 (Supplement 2):1485.	3
173	Fox D. The shock tactics set to shake up immunology. <i>Nature</i> . 2017;545(7652):20–2.	2
174	Chi CI. The effect of extracorporeal shock wave therapy on cartilage in knee osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR-IOR-17012320 . 2017.	3
175	Zhang XG, Li JW, Zheng SJ, Zhang JC, Huang JJ, Liu XG. Observation on the clinical effect of extracorporeal shock wave acupuncture in the treatment of knee osteoarthritis. <i>Guangming journal of chinese medicine [guang ming zhong yi]</i> . 2016;31(16):2441–4.	6

176	Yumei D. Extracorporeal shock wave treatment of acute gouty arthritis curative effect evaluation research. International Journal of Rheumatic Diseases. 2016;19 (Supplement 2):237.	3
177	Wang CJ, Cheng JH. Extracorporeal shockwave therapy shows site-sensitive effects in the initiation of osteoarthritis of the knee in rats. Journal of Orthopaedic Research Conference. 2016;34(Supplement 1).	1
178	Wang BCM, Hsu PN, Furnback W, Ney J, Yang YW, Fang CH, et al. Estimating the Economic Burden of Rheumatoid Arthritis in Taiwan Using the National Health Insurance Database. Drugs – Real World Outcomes. 2016;3(1):107–14.	6
179	Vampertzis T, Agathangelidis F, Gkouliopoulou E, Papastergiou S. Massive non-traumatic calcification of the medial collateral ligament of the knee. BMJ Case Rep. 2016;2016 (no pagination)(bcr-2016-217743).	2
180	Tctr. Comparison the effectiveness of Transcutaneous electrical nerve stimulation and Extracorporeal Shock Wave Therapy in osteoarthritis knee patient. http://www.who.int/trialsearch/Trial2.aspx?TrialID=TCTR20161122001 . 2016.	3
181	Souza AN, Ferreira MP, Hagen SC, Patrício GC, Matera JM. Radial shock wave therapy in dogs with hip osteoarthritis. Vet. 2016;29(2):108–14.	1
182	Patel M, Upadhyay A, Shah V. Gluteus tendon tear: Often unrecognized cause of hip pain. Regional Anesthesia and Pain Medicine Conference: 41st Annual Regional Anesthesiology and Acute Pain Medicine Meeting of the American Society of Regional Anesthesia and Pain Medicine, ASRA. 2016;41(5).	3
183	Ohsawa T, Shiozawa H, Saito K, Tajika T, Yamamoto A, Iizuka Y, et al. Relation between the stand-up test and gait speed, knee osteoarthritis, and osteoporosis using calcaneal quantitative ultrasound – Cross-sectional study. J Orthop Sci. 2016;21(1):74–8.	6
184	Nct. Clinical Trial to Evaluate the Adjuvant Effect of Shock Wave Therapy in the Insertional Achilles Tendinopathy. https://clinicaltrials.gov/show/NCT02757664 . 2016.	3
185	Nct. Extracorporeal Focused Shock Wave Therapy for Primary Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT02904785 . 2016.	3
186	Nassar K, Rachidi W, Janani S, Mkinsi O. Aseptic necrosis of the femoral head after pregnancy: A case report. Pan African Medical Journal. 2016;24 (no pagination)(195).	8
187	Lian K, Forster B. Intra-articular hip injections: is there a role for ultrasound? BJSM online. 2016;50(7):383–4.	2
188	Krambeck AE. Surgical intervention for urolithiasis: Does it result in long-term medical complications? Kidney Int. 2016;89(1):23–5.	2
189	Kopka M, Bradley JP. The Use of Biologic Agents in Athletes with Knee Injuries. Journal of Knee Surgery. 2016;29(5):379–86.	1
190	Jprn U. The study of tissue regeneration and promotion of healing for meniscal tear and regenerative meniscus. http://www.who.int/trialsearch/Trial2.aspx?TrialID=JPRN-UMIN000022600 . 2016.	3
191	Ji Q, Wang P, He C. Extracorporeal shockwave therapy as a novel and potential treatment for degenerative cartilage and bone disease: Osteoarthritis. A qualitative analysis of the literature. Prog Biophys Mol Biol. 2016;121(3):255–65.	2
192	Ji Q, He C. Extracorporeal shockwave therapy promotes chondrogenesis in cartilage tissue engineering: A hypothesis based on previous evidence. Med Hypotheses. 2016;91:9–15.	1
193	Jackel K, Knechtle B. Praxis (Bern 1994). 2016;105(22):1325–9.	4
194	Irct201608154104N. Comparison of the effects of ShockWave Therapy and physiotherapy in treatment of muscular pain of shoulder. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT201608154104N5 . 2016.	3
195	Herrick AL, Gallas A. Systemic sclerosis-related calcinosis. Journal of Scleroderma and Related Disorders. 2016;1(2):194–203.	2
196	Han Y, Lee JK, Lee BY, Kee HS, Jung KI, Yoon SR. Effectiveness of Lower Energy Density Extracorporeal Shock Wave Therapy in the Early Stage of Avascular Necrosis of the Femoral Head. Ann. 2016;40(5):871–7.	5
197	Dubos M, Ly K, Martel C, Fauchais AL. Is rituximab an effective treatment of refractory calcinosis? BMJ Case Rep. 2016;31:31.	8

198	Dorn U, Landauer F, Hofstaedter T. [Not Available]. Z Orthop Unfall. 2016;154(3):307–20.	2
199	Denburg MR, Jemielita TO, Tasian GE, Haynes K, Mucksavage P, Shults J, et al. Assessing the risk of incident hypertension and chronic kidney disease after exposure to shock wave lithotripsy and ureteroscopy. Kidney Int. 2016;89(1):185–92.	5
200	Chi CI. Two methods of treatment of women with bilateral. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR-IIR-16008783 . 2016.	3
201	Chi CI. Two methods of treatment of women with bilateral knee osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR-IIR-16008148 . 2016.	3
202	Cheng JH, Wang CJ, Su SH, Huang CY, Hsu SL. Next-generation sequencing identifies articular cartilage and subchondral bone miRNAs after ESWT on early osteoarthritis knee. Oncotarget. 2016;7(51):84398–407.	1
203	Actrn. Extracorporeal shock wave therapy (ESWT) and kinesiotherapy (KIN) on women with bilateral knee osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ACTRN12616000589482 . 2016.	3
204	Zhang S, Wang X, Zhang D. Research on Energy Distribution During Osteoarthritis Treatment Using Shock Wave Lithotripsy. [Chinese]. Sheng wu yi xue gong cheng xue za zhi = Journal of biomedical engineering = Shengwu yixue gongchengxue zazhi. 2015;32(2):300–4.	4
205	Zhang S, Wang X, Zhang D. [Research on Energy Distribution During Osteoarthritis Treatment Using Shock Wave Lithotripsy]. Sheng Wu I Hsueh Kung Cheng Hsueh Tsa Chih. 2015;32(2):300–4.	4
206	Wojick KB, Berent AC, Weisse CW, Gamble KC. Extracorporeal Shock Wave Lithotripsy and Endoscopic Ureteral Stent Placement in an Asian Small-Clawed Otter (<i>Aonyx cinerea</i>) with Nephrolithiasis. J Zoo Wildl Med. 2015;46(2):345–9.	8
207	Wang CJ, Huang CY, Hsu SL, Chen JH, Cheng JH. Extracorporeal shockwave therapy in osteoporotic osteoarthritis of the knee in rats: An experiment in animals. Osteoarthritis and Cartilage. 2015;23(2):A313.	3
208	Vetter N. Editor's Choice, volume 116. British Medical Bulletin. 2015;116(1):1–4.	2
209	Tctr. Comparison of the efficacy of radial shock wave therapy versus ultrasound therapy on pain reduction in patients with knee osteoarthritis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=TCTR20160125001 . 2015.	3
210	Shim JS, Chung SG, Bang H, Lee HJ, Kim K. Ulnar Neuropathy After Extracorporeal Shockwave Therapy: A Case Report. PM and R. 2015;7(6):667–70.	8
211	Samora JB, Martineau D. Evidence-Based Hand and Upper Extremity Surgery. Journal of Hand Surgery. 2015;40(10):2107–10.	2
212	Russo S, Sadile F, Esposito R, Mosillo G, Aitanti E, Busco G, et al. Italian experience on use of E.S.W. therapy for avascular necrosis of femoral head. Int J Surg. 2015;Part B: 24:188–90.	2
213	Razumov AN, Puriga AO, Yurova OV. The results of the combined application of extracorporeal shock-wave therapy and radon baths during the rehabilitative treatment of the patients presenting with gonarthrosis. [Russian]. Voprosy kurortologii, fizioterapii, i lechebnoi fizicheskoi kultury. 2015;92(5):35–9.	4
214	Razumov AN, Puriga AO, Yurova OV. The long-term results of the application of the combined rehabilitative treatment in the patients presenting with knee osteoarthritis. [Russian]. Voprosy kurortologii, fizioterapii, i lechebnoi fizicheskoi kultury. 2015;92(6):42–4.	4
215	Paolillo AR, Paolillo FR, Joao JP, Joao HA, Bagnato VS. Synergic effects of ultrasound and laser on the pain relief in women with hand osteoarthritis. Lasers Med Sci. 2015;30(1):279–86.	6
216	Nieminan HJ, Ylitalo T, Suuronen JP, Rahunen K, Salmi A, Saarakkala S, et al. Delivering Agents Locally into Articular Cartilage by Intense MHz Ultrasound. Ultrasound Med Biol. 2015;41(8):2259–65.	2
217	Loomba V, Campbell S, Kataria P, Upadhyay A. Pubis symphysis injection for treatment of osteitis pubis. Regional Anesthesia and Pain Medicine Conference: 40th Annual Regional Anesthesia and Acute Pain Medicine Meeting of the American Society of Regional Anesthesia and Pain Medicine, ASRA. 2015;40(5).	3

218	Lin TY, Chen JT, Chen YY, Chen TW, Lee CL, Chen CH, et al. The efficacy of ultrasound-guided extracorporeal shockwave therapy in patients with cervical spondylosis and nuchal ligament calcification. <i>Kaohsiung J Med Sci.</i> 2015;31(7):337–43.	5
219	Li J, Zheng S, Zhang J, Huang J, Liu X. Effect of Acupuncture plus Different Frequency Shock-wave Interventions on Pain Reactions and Motor Function in Knee Osteoarthritis Patients. [Chinese]. <i>Zhen ci yan jiu = Acupuncture research / [Zhongguo yi xue ke xue yuan Yi xue qing bao yan jiu suo bian ji].</i> 2015;40(4):300–3.	4
220	Kim JH, Kim JY, Choi CM, Lee JK, Kee HS, Jung KI, et al. The Dose-Related Effects of Extracorporeal Shock Wave Therapy for Knee Osteoarthritis. <i>Ann.</i> 2015;39(4):616–23.	8
221	Keilani M, Stummvoll G, Kainberger F, Palma S, Cenik F, Crevenna R. Intensive ultrasound treatment in acute calcific periarthritis of the wrist: a case report. <i>Wien Klin Wochenschr.</i> 2015;127(15–16):649–51.	8
222	Gao F, Sun W, Li Z, Guo W, Wang W, Cheng L, et al. Extracorporeal shock wave therapy in the treatment of primary bone marrow edema syndrome of the knee: A prospective randomised controlled study Orthopedics and biomechanics. <i>BMC Musculoskelet Disord.</i> 2015;16 (1) (no pagination)(379).	5
223	Clemens MR, Gladkov OA, Gartner E, Vladimirov V, Crown J, Steinberg J, et al. Phase II, multicenter, open-label, randomized study of YM155 plus docetaxel as first-line treatment in patients with HER2-negative metastatic breast cancer. <i>Breast cancer research and treatment.</i> 2015;149(1):171–9.	5
224	Cheng JH, Wang CJ. Biological mechanism of shockwave in bone. <i>Int J Surg.</i> 2015;24(Pt B):143–6.	2
225	Berner J, Zufferey P. Achilles tendinopathy. [French]. <i>Rev Med Suisse.</i> 2015;11(465):606–11.	4
226	Yoon SR, Kim JH. Effect of extracorporeal shock wave therapy on knee osteoarthritis. <i>Annals of Physical and Rehabilitation Medicine.</i> 2014;1):e37–e8.	3
227	Wang P, Liu C, Yang XT, Wei XF, Zhou YJ, Yang L, et al. Effect of extracorporeal shock wave therapy on cartilage and subchondral bone remodeling in rabbits with ACLT-induced osteoarthritis. [Chinese]. <i>Sichuan da xue xue bao.</i> 2014;Yi xue ban = Journal of Sichuan University. Medical science edition. 45(1):120–5.	4
228	Wang CJ, Huang CY, Hsu SL, Chen JH, Cheng JH. Extracorporeal shockwave therapy in osteoporotic osteoarthritis of the knee in rats: an experiment in animals. <i>Arthritis Res Ther.</i> 2014;16(4):R139.	1
229	Roze M, Coudreuse JM, Cohen M, Bensoussan L, Viton JM, Delarque A. A functional ankle instability after a ruptured popliteal cyst. A case report. <i>Annals of Physical and Rehabilitation Medicine.</i> 2014;1):e268.	3
230	Rosenthal AK, Ryan LM. Nonpharmacologic and pharmacologic management of CPP crystal arthritis and BCP arthropathy and periarticular syndromes. <i>Rheum Dis Clin North Am.</i> 2014;40(2):343–56.	2
231	Roman-Blas JA, Herrero-Beaumont G. Targeting subchondral bone in osteoporotic osteoarthritis. <i>Arthritis Res Ther.</i> 2014;16(6):494.	2
232	Pu W, Yujing Z, Xiaofei W, Xiaotian Y, Chengqi H, Chuan L. Effects of extracorporeal shock wave therapy on cartilage protection and subchondral bone remodeling in rabbits osteoarthritis induced by ACLT. <i>Annals of Physical and Rehabilitation Medicine.</i> 2014;1):e37.	3
233	Pascart T, Richette P, Flipo RM. Treatment of nongout joint deposition diseases: An update. <i>Arthritis.</i> 2014;2014 (no pagination)(375202).	2
234	Nct. Efficacy of Radial Shockwave Therapy for Treatment of Pain in Knee Osteoarthritis. https://clinicaltrials.gov/show/NCT02197962. 2014.	3
235	Mesang WI, Hestiningrum S, Lilihata J, Wongjaya EA, Wihono F, Winner, et al. A patient with significant bilateral staghorn stones and severe cardiac comorbidity may have limited treatment modalities. <i>BJU International.</i> 2014;3):23.	3
236	Lyon R, Liu XC. Future treatment strategies for cartilage repair. <i>Clinics in Sports Medicine.</i> 2014;33(2):335–52.	2
237	Irct2014081718831N. Comparison between injection of dextrose20% and shock wave therapy in treatment of elbow pain(tennis elbow). http://www.who.int/trialssearch/Trial2.aspx?TrialID=IRCT2014081718831N1. 2014.	3

238	Irct2014030616865N. A comparison of shock wave versus corticosteroid for pain reduction in plantar fasciitis: randomized clinical trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT2014030616865N1 . 2014.	3
239	Ilieva EM, Gonkova M, Todorova I, Minchev R. New field of application of radial shock wave therapy—osteoarthritis. <i>Annals of Physical and Rehabilitation Medicine</i> . 2014;1):e268.	3
240	Hou XD, Liu HB, Liu KM. Effects of extracorporeal shock wave therapy on interleukin-1beta and matrix metalloproteinase-13 expression in rabbits with knee osteoarthritis. [Chinese]. <i>Chinese Journal of Tissue Engineering Research</i> . 2014;18(15):2397–402.	1
241	Cheng K, Xia P, Lin Q, Shen S, Gao M, Ren S, et al. Effects of low-intensity pulsed ultrasound on integrin-FAK-PI3K/Akt mechanochemical transduction in rabbit osteoarthritis chondrocytes. <i>Ultrasound Med Biol</i> . 2014;40(7):1609–18.	1
242	Auvinet B, Touzard C, Goeb V. Ambulatory gait analysis in clinical practice: Single or dual task conditions? <i>Arthritis and Rheumatology</i> . 2014;10):S1316.	3
243	Anonymous. 30th Iranian Congress of Radiology. <i>Iranian Journal of Radiology</i> . 2014;2):S16.	3
244	Wang CJ, Sun YC, Siu KK, Wu CT. Extracorporeal shockwave therapy shows site-specific effects in osteoarthritis of the knee in rats. <i>J Surg Res</i> . 2013;183(2):612–9.	1
245	Wang CJ, Hsu SL, Weng LH, Sun YC, Wang FS. Extracorporeal shockwave therapy shows a number of treatment related chondroprotective effect in osteoarthritis of the knee in rats. <i>BMC Musculoskelet Disord</i> . 2013;14:44.	1
246	Rosa M, Usai P, Miano R, Kim FJ, Agro EF, Bove P, et al. Recent finding and new technologies in nephrolithiasis: A review of the recent literature. <i>BMC Urology</i> . 2013;13 (no pagination)(10).	2
247	Nct. The Role of Extracorporeal Shock Wave Therapy in the Treatment of Trapezial-Metacarpal Osteoarthritis. A Double Blind Randomized Controlled Study. https://clinicaltrials.gov/show/NCT01783262 . 2013.	3
248	Li X, Lin Q, Wang D, Dai Y, Cheng K, Yu J, et al. The effects of low-intensity pulsed ultrasound and nanomagnet applications on the expressions of MMP-13 and MAPKs in rabbit knee osteoarthritis. <i>J Nanosci Nanotechnol</i> . 2013;13(1):722–7.	1
249	Korchazhkina NB, Mikhailova AA, Petrova MS, Shchukin AI, Ruzova TK, Danilova DP. [Extracorporeal shock wave therapy in athletes with degenerative and dystrophic disorders of locomotory system]. [Russian]. <i>Med Tr Prom Ekol</i> . 2013(9):16–7.	4
250	Judson CH, Wolf JM. Lateral epicondylitis. Review of injection therapies. <i>Orthopedic Clinics of North America</i> . 2013;44(4):615–23.	2
251	Cinar E, Uygur F. Extracorporeal shock wave therapy versus low intensity laser therapy in the treatment of heel pain. <i>Annals of the Rheumatic Diseases Conference: Annual European Congress of Rheumatology of the European League Against Rheumatism, EULAR</i> . 2013;72(SUPPL. 3).	3
252	Cardenas-Nylander C, Ribas M, Kimura O, Bellotti DL, Astarita E. Short-term results of hip abductor tears by means of endoscopic repair. <i>Arthroscopy – Journal of Arthroscopic and Related Surgery</i> . 2013;1):e194.	3
253	Garcia CR, Scibek JS. Causation and management of calcific tendonitis and periarthritis. <i>Curr Opin Rheumatol</i> . 2013;25(2):204–9.	2
254	Zhao Z, Ji H, Jing R, Liu C, Wang M, Zhai L, et al. Extracorporeal shock-wave therapy reduces progression of knee osteoarthritis in rabbits by reducing nitric oxide level and chondrocyte apoptosis. <i>Arch Orthop Trauma Surg</i> . 2012;132(11):1547–53.	1
255	Wang CJ, Sun YC, Wong T, Hsu SL, Chou WY, Chang HW. Extracorporeal shockwave therapy shows time-dependent chondroprotective effects in osteoarthritis of the knee in rats. <i>J Surg Res</i> . 2012;178(1):196–205.	1
256	Paulis G, Brancato T. Inflammatory mechanisms and oxidative stress in Peyronie's disease: Therapeutic "rationale" and related emerging treatment strategies. <i>Inflammation and Allergy – Drug Targets</i> . 2012;11(1):48–57.	5
257	Kirkby KA, Lewis DD. Canine hip dysplasia: reviewing the evidence for nonsurgical management. <i>Vet Surg</i> . 2012;41(1):2–9.	2
258	Irct2012072910439N. Extracorporeal Shock Wave Therapy in Patients with Plantar Fasciitis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT2012072910439N1 . 2012.	3

259	Gutierrez Jr A, Wetter DA. Calcinosis cutis in autoimmune connective tissue diseases. <i>Dermatologic Therapy</i> . 2012;25(2):195–206.	2
260	Chi CT. The Efficacy of Extracorporeal Shockwave Therapy in the Treatment of Knee Osteoarthritis: a randomized, controlled trial. http://www.who.int/trialsearch/Trial2.aspx?TrialID=ChiCTR-TRC-12003515 . 2012.	3
261	Arnold I, Guttke T. [Physical therapy as part of a complex orthopedic rheumatology approach. Physiotherapy, cryotherapy, extracorporeal shockwave lithotripsy, local intra-articular joint injections]. <i>Orthopade</i> . 2012;41(7):520–5.	2
262	Wang CJ, Weng LH, Ko JY, Wang JW, Chen JM, Sun YC, et al. Extracorporeal shockwave shows regression of osteoarthritis of the knee in rats. <i>J Surg Res</i> . 2011;171(2):601–8.	1
263	Wang CJ, Weng LH, Ko JY, Sun YC, Yang YJ, Wang FS. Extracorporeal shockwave therapy shows chondroprotective effects in osteoarthritic rat knee. <i>Arch Orthop Trauma Surg</i> . 2011;131(8):1153–8.	1
264	Uematsu K, Nakatsuka H, Yamada D. A case of the purulent spondylitis that occurred after ESWL for renal calculus. <i>Journal of Endourology</i> . 2011;1):A253–A4.	3
265	Polat BE, Hart D, Langer R, Blankschtein D. Ultrasound-mediated transdermal drug delivery: Mechanisms, scope, and emerging trends. <i>Journal of Controlled Release</i> . 2011;152(3):330–48.	2
266	Park S, Kang K. Natural history of uric acid urolithiasis in the computed tomography era. <i>Journal of Endourology</i> . 2011;1):A272.	3
267	Kawcak CE, Frisbie DD, McIlwraith CW. Effects of extracorporeal shock wave therapy and polysulfated glycosaminoglycan treatment on subchondral bone, serum biomarkers, and synovial fluid biomarkers in horses with induced osteoarthritis. <i>Am J Vet Res</i> . 2011;72(6):772–9.	1
268	Irct201108097274N. Comparison of therapeutic responses of corticosteroid injection vs ultrasound in patients with plantar fasciitis. http://www.who.int/trialsearch/Trial2.aspx?TrialID=IRCT201108097274N1 . 2011.	3
269	Hossain M, Makwana N. "Not Plantar Fasciitis": The differential diagnosis and management of heel pain syndrome. <i>Orthopaedics and Trauma</i> . 2011;25(3):198–206.	5
270	Drescher W, Pufe T, Smeets R, Eisenhart-Rothe RV, Jager M, Tingart M. [Avascular necrosis of the hip – diagnosis and treatment]. [German]. <i>Zeitschrift fur Orthopadie und Unfallchirurgie</i> . 2011;149(2):231–40; quiz 41–42.	4
271	Zhai L, Sun N, Zhang BQ, Wang JG, Xing GY. Effect of liquid-electric extracorporeal shock wave on treating traumatic avascular necrosis of talus. [Chinese]. <i>Journal of Clinical Rehabilitative Tissue Engineering Research</i> . 2010;14(17):3135–8.	4
272	Wang Q, Jiang F. [Principle and application of orthopedic ESWT apparatus]. <i>Zhongguo Yi Liao Qi Xie Za Zhi</i> . 2010;34(4):297–9.	4
273	Thomas JL, Christensen JC, Kravitz SR, Mendicino RW, Schuberth JM, Vanore JV, et al. The Diagnosis and Treatment of Heel Pain: A Clinical Practice Guideline–Revision 2010. <i>Journal of Foot and Ankle Surgery</i> . 2010;49(3):S1–S19.	3
274	Saggini R, Cavezza T, Di Pancrazio L, Pisciella V, Saladino G, Zuccaro MC, et al. Treatment of lesions of the rotator cuff. <i>Journal of Biological Regulators and Homeostatic Agents</i> . 2010;24(4):453–9.	5
275	Mayer-Wagner S, Ernst J, Maier M, Chiquet M, Joos H, Muller PE, et al. The effect of high-energy extracorporeal shock waves on hyaline cartilage of adult rats in vivo. <i>J Orthop Res</i> . 2010;28(8):1050–6.	1
276	Khan H, Eldeeb H. Case report – Extraordinary survival with multiple primaries. <i>Lung Cancer</i> . 2010;67 (SUPPL 1):S41.	3
277	Ibanez AE. Exercises are better than shockwave treatment in subacromial pain syndrome: Commentary. [Spanish]. <i>FMC Formacion Medica Continuada en Atencion Primaria</i> . 2010;17(3):186.	4
278	Yamashita M, Yamauchi K, Suzuki M, Eguchi Y, Orita S, Endo M, et al. Transfection of rat cells with proopiomelanocortin gene, precursor of endogenous endorphin, using radial shock waves suppresses inflammatory pain. <i>Spine</i> . 2009;34(21):2270–7.	1
279	Wang CJ. Shockwave promotes osteogenesis of bone marrow stromal cells in hip necrosis. <i>Osteoarthritis and Cartilage</i> . 2009;1):S176–S7.	3
280	Wang CJ. Extracorporeal shockwave shows regeneration in hip necrosis. <i>Osteoarthritis and Cartilage</i> . 2009;1):S180.	3

281	Wang CJ. The effects of shockwave on bone healing and systemic concentrations of nitric oxide (NO), TGF-beta1, VEGF and BMP-2 in long bone non-unions. <i>Osteoarthritis and Cartilage.</i> 2009;17:S182.	3
282	Skolarikos A, Papatsoris AG. Diagnosis and management of postpercutaneous nephrolithotomy residual stone fragments. <i>Journal of Endourology.</i> 2009;23(10):1751-5.	2
283	Sanderson RO, Beata C, Flipo RM, Genevois JP, Macias C, Tacke S, et al. Systematic review of the management of canine osteoarthritis. <i>Vet Rec.</i> 2009;164(14):418-24.	2
284	Iannone F, Moretti B, Notarnicola A, Moretti L, Patella S, Patella V, et al. Extracorporeal shock waves increase interleukin-10 expression by human osteoarthritic and healthy osteoblasts in vitro. <i>Clin Exp Rheumatol.</i> 2009;27(5):794-9.	1
285	Gross KD, Hillstrom H. Knee Osteoarthritis: Primary Care Using Noninvasive Devices and Biomechanical Principles. <i>Medical Clinics of North America.</i> 2009;93(1):179-200.	2
286	Frisbie DD, Kawcak CE, McIlwraith CW. Evaluation of the effect of extracorporeal shock wave treatment on experimentally induced osteoarthritis in middle carpal joints of horses. <i>Am J Vet Res.</i> 2009;70(4):449-54.	1
287	Chukpaiwong B, Berkson EM, Theodore GH. Extracorporeal Shock Wave for Chronic Proximal Plantar Fasciitis: 225 Patients with Results and Outcome Predictors. <i>Journal of Foot and Ankle Surgery.</i> 2009;48(2):148-55.	5
288	Anonymous. 13th Mediterranean Congress of Rheumatology – Abstracts. Clinical and Experimental Rheumatology Conference: 13th Mediterranean Congress of Rheumatology Cavtat Croatia Conference Publication:. 2009;27(5).	3
289	Xing LQ, Tan JH, Lei PC, Lou WJ. Extracorporeal shock wave treatment for pain following hip replacement. [Chinese]. <i>Journal of Clinical Rehabilitative Tissue Engineering Research.</i> 2008;12(48):9533-6.	4
290	Rosemann T. Evidence based therapy of degenerative joint diseases – Surgical treatment options. [German]. <i>Zeitschrift fur Allgemeinmedizin.</i> 2008;84(1):21-7.	2
291	Moretti B, Iannone F, Notarnicola A, Lapadula G, Moretti L, Patella V, et al. Extracorporeal shock waves down-regulate the expression of interleukin-10 and tumor necrosis factor-alpha in osteoarthritic chondrocytes. <i>BMC Musculoskelet Disord.</i> 2008;9:16.	1
292	Dinichert A, Cornelius JF, Lot G. Lumboperitoneal shunt for treatment of dural ectasia in ankylosing spondylitis. <i>J Clin Neurosci.</i> 2008;15(10):1179-82.	5
293	del Cura JL. Ultrasound-Guided Therapeutic Procedures in the Musculoskeletal System. <i>Current Problems in Diagnostic Radiology.</i> 2008;37(5):203-18.	2
294	Pribut SM. Current approaches to the management of plantar heel pain syndrome, including the role of injectable corticosteroids. <i>J Am Podiatr Med Assoc.</i> 2007;97(1):68-74.	5
295	Ochiai N, Ohtori S, Sasho T, Nakagawa K, Takahashi N, Murata R, et al. Extracorporeal shock wave therapy improves motor dysfunction and pain originating from knee osteoarthritis in rats. <i>Osteoarthritis and Cartilage.</i> 2007;15(9):1093-6.	1
296	Murata R, Nakagawa K, Ohtori S, Ochiai N, Arai M, Saisu T, et al. The effects of radial shock waves on gene transfer in rabbit chondrocytes in vitro. <i>Osteoarthritis and Cartilage.</i> 2007;15(11):1275-82.	1
297	Mueller M, Bockstahler B, Skalicky M, Mlcnik E, Lorinson D. Effects of radial shockwave therapy on the limb function of dogs with hip osteoarthritis. <i>Vet Rec.</i> 2007;160(22):762-5.	1
298	Jacobellis U. Metaphylaxis of nephrolithiasis. <i>Urologia Internationalis.</i> 2007;79(SUPPL. 1):51-5.	3
299	Henriksen M, Simonsen EB, Graven-Nielsen T, Lund H, Danneskiold-Samsøe B, Bliddal H. Impulse-forces during walking are not increased in patients with knee osteoarthritis. <i>Acta Orthop.</i> 2006;77(4):650-6.	6
300	Dahlberg JA, McClure SR, Evans RB, Reinertson EL. Force platform evaluation of lameness severity following extracorporeal shock wave therapy in horses with unilateral forelimb lameness. <i>Journal of the American Veterinary Medical Association.</i> 2006;229(1):100-3.	1

301	Revenaugh MS. Extracorporeal shock wave therapy for treatment of osteoarthritis in the horse: clinical applications. <i>Vet Clin North Am Equine Pract.</i> 2005;21(3):609–25, vi.	1
302	Millis DL, Francis D, Adamson C. Emerging modalities in veterinary rehabilitation. <i>Veterinary Clinics of North America – Small Animal Practice.</i> 2005;35(6):1335–55.	2
303	Haake M, Gerdesmeyer L. <i>Fasciitis plantaris</i> . Frequency, symptoms, pathogenesis and therapy. [German]. <i>Tagliche Praxis.</i> 2005;46(2):325–32.	2
304	Haake M, Gerdesmeyer L. <i>Fasciitis plantaris</i> . Frequency, symptoms, pathogenesis and therapy. [German]. <i>Chirurgische Praxis.</i> 2005;64(4):673–80.	4
305	Haake M, Gerdesmeyer L. <i>Fasciitis plantaris</i> . Frequency, symptoms, pathogenesis and therapy. [German]. <i>Internistische Praxis.</i> 2005;45(1):97–104.	2
306	Everke H. Shockwave acupuncture: A new method of acupuncture point stimulation – Pilot study of its application in the case of gonarthrosis. [German]. <i>Deutsche Zeitschrift fur Akupunktur.</i> 2005;48(2):12–21.	4
307	Dahlberg J, Fitch G, Evans RB, McClure SR, Conzemius M. The evaluation of extracorporeal shockwave therapy in naturally occurring osteoarthritis of the stifle joint in dogs. <i>Vet.</i> 2005;18(3):147–52.	1
308	Tingart M, Bathis H, Perlick L, Lerch K, Luring C, Grifka J. Treatment of osteonecrosis of the femoral head: Current treatment concepts in Germany. [German]. <i>Z Orthop Ihre Grenzgeb.</i> 2004;142(5):553–8.	4
309	Anonymous. Robin goodfellow. <i>Rheumatology.</i> 2004;43(2):260.	2
310	Rozenblat M. Simultaneous extracorporeal shock-wave therapy and hyperbaric cryotherapy for sports trauma outpatients: 333 cases. [French]. <i>Journal de Traumatologie du Sport.</i> 2003;20(4):211–8.	4
311	Hochreiter W, Knoll T, Hess B. Pathophysiology, diagnosis and medical treatment of non-calcium stones. [German]. <i>Therapeutische Umschau.</i> 2003;60(2):89–97.	4
312	Wiley P. Low-energy extracorporeal shock-wave treatment for tendinitis of the supraspinatus. <i>Clinical Journal of Sport Medicine.</i> 2002;12(4):262.	2
313	Lancina Martin JA, Novas Castro S, Rodriguez-Rivera Garcia J, Blanco Diez A, Fernandez Rosado E, Gonzalez Martin M. [Multiple urinary lithiasis and nephrocalcinosis secondary to primary Sjogren syndrome]. <i>Actas Urol Esp.</i> 2002;26(3):235–8.	4
314	Kazimoglu H, Mungan MU, Kirkali Z. Vertebral fracture associated with shockwave lithotripsy in a patient with granulomatous spondylitis. <i>Journal of Endourology.</i> 2001;15(7):687–9.	8
315	Gustas P, Johnston C, Roepstorff L, Drevemo S. In vivo transmission of impact shock waves in the distal forelimb of the horse. <i>Equine Vet J Suppl.</i> 2001;Supplement.(33):11–5.	1
316	Benes J, Chmel J, Marecek Z, Tesar V. An absence of changes in kidney tissues after an enormous number of shock waves. <i>Sb Lek.</i> 2001;102(1):23–7.	8
317	Whittle MW. Generation and attenuation of transient impulsive forces beneath the foot: A review. <i>Gait and Posture.</i> 1999;10(3):264–75.	2
318	Avcı O, Ellidokuz E, Simsek I, Buyukgeviz B, Gunes AT. Helicobacter pylori and Behcet's disease. <i>Dermatology.</i> 1999;199(2):140–3.	5
319	최만석, 정경우, 성경탁. 통풍성 소인을 가진 요산석과 칼슘석 환자에서 생화학적 및 임상적 비교. <i>대한비뇨기과학회지.</i> 1998;39(6):537–41.	5
320	Pak CY. Southwestern Internal Medicine Conference: medical management of nephrolithiasis--a new, simplified approach for general practice. <i>Am J Med Sci.</i> 1997;313(4):215–9.	2
321	Haupt G. [Shock waves in orthopedics]. <i>Urologe A.</i> 1997;36(3):233–8.	2
322	Erturk E, Casamento JB, Guertin KR, Kende AS. Bilateral acetylsulfapyridine nephrolithiasis associated with chronic sulfasalazine therapy. <i>J Urol.</i> 1994;151(6):1605–6.	8
323	Heinrichs W, Witzsch U, Burger RA. Extracorporeal shock-wave therapy for pseudarthrosis. A new indication for regional anaesthesia. [German]. <i>Anaesthetist.</i> 1993;42(6):361–4.	4
324	Jakobkeit C. Extracorporeal shock-wave lithotripsy in gallbladder stone perforation. [German]. <i>Dtsch Med Wochenschr.</i> 1992;117(14):535–8.	4
325	Dickinson JA, Cook SD, Leinhardt TM. The measurement of shock waves following heel strike while running. <i>J Biomech.</i> 1985;18(6):415–22.	5

326	Voloshin A, Wosk J. Influence of artificial shock absorbers on human gait. Clin Orthop. 1981(160):52-6.	5
327	Mueller EE, Mead S, Schulz BF, Vaden MR. A placebo-controlled study of ultrasound treatment for periarthritis. Am J Phys Med. 1954;33(1):31-5.	6